



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/735,689	12/12/2000	Ole Bentz	500844.01	6578

27076 7590 06/17/2004

DORSEY & WHITNEY LLP
INTELLECTUAL PROPERTY DEPARTMENT
SUITE 3400
1420 FIFTH AVENUE
SEATTLE, WA 98101

EXAMINER

MCCARTNEY, LINZY T

ART UNIT	PAPER NUMBER
----------	--------------

2671

DATE MAILED: 06/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/735,689

Applicant(s)

BENTZ, OLE

Examiner

Linzy McCartney

Art Unit

2671

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2,4-7,9,11-13,15,17,19-22,24,26,27,29-36 and 38-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2,4-7,9,11-13,15,17,19-22,24,26-27,29-36 and 38-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 9, 2, 5-7, 17, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,953,015 to Choi.

a. Referring to claim 9, Choi discloses calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ration between the number of texels for one pixel along a second axis orthogonal to the first axis; and selecting the greater of the square of the first ration and the square of the second ratio for calculating the LOD (column 3, lines 45-50), approximating a base-two logarithm of the square of the ratio (column 3, lines 50-55). Choi does not explicitly disclose dividing the result by two to provide the LOD. Choi discloses incorporating the $\frac{1}{2}$ factor in the approximation (column 3, lines 50-55). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the invention of Choi by dividing by two after approximating a base-two logarithm of the square of the ratio. The suggestion/motivation for doing so would have been because it would allow a more exact approximation of the LOD.

b. Referring to claim 2, Choi does not expressly disclose wherein dividing the result by two comprises shifting a binary value of the LOD right one-bit. However, Examiner

takes Official Notice that shifting a binary value to the right one-bit to divide is conventional and well known. It would have been obvious at the time the invention was made to one of ordinary skill in the art to divide a binary number by two by shifting a binary value right one-bit since the Examiner takes Official Notice that dividing a binary number by two by shifting a binary value right one bit is well-known and conventional.

c. Referring to claim 5, Choi discloses wherein the square of the ratio comprises an unsigned fixed-point binary value having an integer portion and a fractional portion (column 5, lines 8-11).

d. Referring to claim 6, Choi does not explicitly disclose wherein the integer portion is 27 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.

e. Referring to claim 7, Choi suggests the fractional portion is 5 bits in length (column 5, lines 12-13).

f. Referring to claim 17, Choi does not expressly disclose a shifting circuit coupled to receive the result of the approximation and adapted to divide the approximation by two by shifting the approximation right one-bit. However, Examiner takes Official Notice that utilizing a shifting circuit to shift a binary value to the right one-bit to divide is conventional and well known. It would have been obvious at the time the invention was made to one of ordinary skill in the art to divide a binary number by two by utilizing a shifting circuit to shift a binary value right one-bit since the Examiner takes Official Notice that dividing a binary number by two by utilizing a shifting circuit to shift a binary value right one bit is well-known and conventional.

- g. Referring to claim 24, Choi discloses calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ratio between the number of texels for one pixel along a second axis orthogonal to the first axis; and selecting the greater of the square of the first ratio and the square of the second ratio for calculating the LOD (column 3, lines 45-50) and approximating a base-two logarithm of the selected square of the ratio (column 3, line 55- column 4, line, 15). Choi does not explicitly disclose dividing the result of the approximation by two to compute the LOD. Choi discloses incorporating the $\frac{1}{2}$ factor in the approximation (column 3, lines 50-55). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the invention of Choi by dividing by two after approximating a base-two logarithm of the square of the ratio. The suggestion/motivation for doing so would have been because it would allow a more exact approximation of the LOD.
3. Claims 4, 11-13, 15, and 19-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choi as applied to claims 9 and 15 above and further in view of National Semiconductor, *"Easy Logarithms for COP400"* (NS).
- a. Referring to claim 4, Choi as applied to claim 9 meets the limitations recited in claim 4 except shifting the square of the ratio left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number; calculating a six-bit signed integer value from the equation: 6-bit signed integer = [(number of integer bits – 1) – LZs]; concatenating the six-bit signed integer value to a first number; and defining the five MSBs of the resulting number as the signed integer

portion of the LOD. NS discloses shifting the square of a number left by the number of leading zeros and the MSB, effectively ignoring the MSB (page 1, column 2, paragraph 3); calculating a characteristic (integer) based on the number of characteristic bits minus the number of shifts required, effectively the $[(\text{number of integer bits} - 1) - \text{LZs}]$ (page 1, column 2, paragraph 3); concatenating the integer value to first number (page 1, Figure 3); and defining the resulting number as the integer portion (page 1, column 2, paragraph 3 and Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of NS. The suggestion/motivation for doing so would have been to reduce the complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1) and produce a more accurate logarithm approximation.

b. Referring to claim 15, Choi discloses calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ratio between the number of texels for one pixel along a second axis orthogonal to the first axis; selecting the greater of the square of the first ratio and the square of the second ratio for calculating the LOD (column 3, lines 45-50); the LOD has a fractional portion (column 5, lines 65-67; column 6, lines 20-30) and as noted in the rejection of claims 1 and 2 above, it would be obvious to multiply to the $\frac{1}{2}$ factor disclosed by Choi (column 3, lines 50-55) after the logarithm approximation and it is well known to shift a binary number right one-bit to perform division. Choi does not explicitly shifting the selected square of the ratio left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number; calculating a six-

bit signed integer value from the equation: 6-bit signed integer = [(number of integer bits – 1) – LZs], where the number of integer bits is the number of integer bits representing the selected square of the ratio; concatenating the six-bit signed integer value to a first number; defining the five MSBs of the resulting number as the signed integer portion of the LOD. As noted in the rejection of claim 4 above, NS discloses approximating a logarithm by shifting a number left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number (page 1, column 2, paragraph 3); calculating a six-bit signed integer value from the equation: 6-bit signed integer = [(number of integer bits – 1) – LZs] ((page 1, column 2, paragraph 3); concatenating the six-bit signed integer value to the first number (page 1, Figure 3) and defining the five MSBs of the resulting number as a signed integer portion (page 1, column 2, paragraph 3 and Figure 3) At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of NS. The suggestion/motivation for doing so would have been to reduce the complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1).

c. Referring to claim 11, Choi discloses the square of the ratio comprises an unsigned fixed-point binary value having an integer portion and a fractional portion (column 5, lines 8-11).

d. Referring to claim 12, Choi does not explicitly disclose wherein the integer portion is 27 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.

- e. Referring to claim 13, Choi discloses wherein the fractional portion is 5 bits in length (column 5, lines 12-13).
- f. Referring to claim 19, Choi as applied to claim 16 meets the limitations recited in claim 19 except shifting the square of the ratio left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number; calculating a six-bit signed integer value from the equation: 6-bit signed integer = $[(\text{number of integer bits} - 1) - \text{LZs}]$; concatenating the six-bit signed integer value to a first number; and defining the five MSBs of the resulting number as the signed integer portion of the LOD. NS discloses shifting the square of a number left by the number of leading zeros and the MSB, effectively ignoring the MSB (page 1, column 2, paragraph 3); calculating a characteristic (integer) based on the number of characteristic bits minus the number of shifts required, effectively the $[(\text{number of integer bits} - 1) - \text{LZs}]$ (page 1, column 2, paragraph 3); concatenating the integer value to first number (page 1, Figure 3); and defining the resulting number as the integer portion (page 1, column 2, paragraph 3 and Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of NS. The suggestion/motivation for doing so would have been to reduce the complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1) and produce a more accurate logarithm approximation.
- g. Referring to claim 20, Choi discloses wherein the square of the ratio comprises an unsigned fixed-point binary value having an integer portion and a fractional portion (column 5, lines 8-11).

Art Unit: 2671

- h. Referring to claim 21, Choi does not explicitly disclose wherein the integer portion is 27 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.
 - i. Referring to claim 22, Choi discloses wherein the fractional portion is 5 bits in length (column 5, lines 12-13).
4. Claims 26-27, 30, 32-36 and 39-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choi in view of U.S. Patent No. 6,292,191 to Vaswani et al. (Vaswani).
- a. Referring to claim 26, Choi discloses a LOD computation circuit adapted to receive signals representing texel coordinates for texels of a texture map and pixel coordinates for pixels of a graphics image to calculate a level-of-detail (LOD) (column 3, lines 55-60 and Figure 2), the computation circuit calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ration between the number of texels for one pixel along a second axis orthogonal to the first axis; and selecting the greater of the square of the first ration and the square of the second ratio for calculating the LOD (column 3, lines 45-50), approximating a base-two logarithm of the square of the ratio (column 3, line 60 – column 4, line 14). Choi does not explicitly disclose a bus interface for coupling to a system bus; a graphics processor coupled to the bus interface to process graphics data; address and data busses coupled to the graphics processor to transfer address and graphics data to and from the graphics processor; display logic coupled to the data bus to drive a display; or dividing the approximation by two to compute the LOD. As noted above, it would be obvious to modify the teachings of Choi to include circuitry to multiply the approximated logarithm

by $\frac{1}{2}$, instead of incorporating the $\frac{1}{2}$ factor into the approximation. Vaswani discloses a bus interface for coupling to a system bus (Figure 3); a graphics processor coupled to the bus interface to process graphics data (Figure 3); address and data busses coupled to the graphics processor to transfer address and graphics data to and from the graphics processor (Figure 3); display logic coupled to data bus to drive a display (Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of Vaswani. The suggestion/motivation for doing so would have been to process and display the graphic data.

b. Referring to claim 27, Choi does not explicitly disclose a shifting circuit adapted to divide by two by shifting the approximation right one-bit. However, Examiner takes Official Notice that utilizing a shifting circuit to shift a binary value to the right one-bit to divide is conventional and well known. It would have been obvious at the time the invention was made to one of ordinary skill in the art to divide a binary number by two by utilizing a shifting circuit to shift a binary value right one-bit since the Examiner takes Official Notice that dividing a binary number by two by utilizing a shifting circuit to shift a binary value right one bit is well-known and conventional.

c. Referring to claim 30, Choi discloses the square of the ratio calculated by the LOD computation circuit comprises an unsigned fixed-point binary value having an integer portion and a fractional portion (column 5, lines 8-11).

d. Referring to claim 31, Choi does not explicitly disclose wherein the integer portion is 27 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.

e. Referring to claim 32, Choi suggests the fractional portion is 5 bits in length (column 5, lines 12-13).

f. Referring to claim 33, Choi discloses the LOD computed by the LOD computation circuit comprises a signed fixed point binary value having an integer portion and a fractional portion (column 6, lines 20-26).

g. Referring to claim 34, Choi does not explicitly disclose wherein the integer portion is 5 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.

g. Referring to claim 35, Choi discloses a LOD computation circuit adapted to receive signals representing texel coordinates for texels of a texture map and pixel coordinates for pixels of a graphics image to calculate a level-of-detail (LOD) (column 3, lines 55-60 and Figure 2), the computation calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ration between the number of texels for one pixel along a second axis orthogonal to the first axis; and selecting the greater of the square of the first ration and the square of the second ratio for calculating the LOD (column 3, lines 45-50), approximating a base-two logarithm of the square of the ratio (column 3, line 60 – column 4, line 14). Choi does not explicitly disclose a system processor; a system bus coupled to the system processor; a system memory coupled to the system bus; and a graphics processing system coupled to

the system bus, the graphics processing system comprising: a bus interface for coupling to a system bus; a graphics processor coupled to the bus interface to process graphics data; address and data busses coupled to the graphics processor to transfer address and graphics data to and from the graphics processor; display logic coupled to the data bus to drive a display; or dividing the result of the approximation by two to compute the LOD. As noted above, it would be obvious to modify the teachings of Choi to include circuitry to multiply the approximated logarithm by $\frac{1}{2}$, instead of incorporating the $\frac{1}{2}$ factor into the approximation. Vaswani discloses a bus interface for coupling to a system bus (Figure 3); a graphics processor coupled to the bus interface to process graphics data (Figure 3); address and data busses coupled to the graphics processor to transfer address and graphics data to and from the graphics processor (Figure 3); display logic coupled to data bus to drive a display (Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of Vaswani. The suggestion/motivation for doing so would have been to process and display the graphic data.

h. Referring to claim 36, Choi does not expressly disclose a shifting circuit coupled to receive the result of the approximation and adapted to divide the approximation by two by shifting the approximation right one-bit. However, Examiner takes Official Notice that utilizing a shifting circuit to shift a binary value to the right one-bit to divide is conventional and well known. It would have been obvious at the time the invention was made to one of ordinary skill in the art to divide a binary number by two by utilizing a shifting circuit to shift a binary value right one-bit since the Examiner takes Official

Notice that dividing a binary number by two by utilizing a shifting circuit to shift a binary value right one bit is well-known and conventional.

- i. Referring to claim 39, Choi discloses the square of the ratio calculated by the LOD computation circuit comprises an unsigned fixed-point binary value having an integer portion and a fractional portion (column 5, lines 8-11).
 - j. Referring to claim 40, Choi does not explicitly disclose wherein the integer portion is 27 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.
 - k. Referring to claim 41, Choi discloses wherein the fractional portion is 5 bits in length (column 5, lines 12-13).
 - l. Referring to claim 42, Choi discloses the LOD computed by the LOD computation circuit comprises a signed fixed point binary value having an integer portion and a fractional portion (column 6, lines 20-26).
 - m. Referring to claim 43, Choi does not explicitly disclose wherein the integer portion is 5 bits in length. As noted above, it is well known in the art to incorporate enough bits to specify a desired range of numbers, Official Notice taken.
5. Claims 29 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choi in view of Vaswani as applied to claims 26 and 35 above and further in view of NS.
- a. Referring to claim 29, the modified method of Choi as applied to claim 26 above meets the limitations recited in claim 29, except shifting the square of the ratio left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number; calculating a six-bit signed integer value

from the equation: 6-bit signed integer = $[(\text{number of integer bits} - 1) - \text{LZs}]$; concatenating the six-bit signed integer value to a first number; and defining the five MSBs of the resulting number as the signed integer portion of the LOD. NS discloses shifting the square of a number left by the number of leading zeros and the MSB, effectively ignoring the MSB (page 1, column 2, paragraph 3); calculating a characteristic (integer) based on the number of characteristic bits minus the number of shifts required, effectively the $[(\text{number of integer bits} - 1) - \text{LZs}]$ (page 1, column 2, paragraph 3); concatenating the integer value to first number (page 1, Figure 3); and defining the resulting number as the integer portion (page 1, column 2, paragraph 3 and Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of NS. The suggestion/motivation for doing so would have been to reduce the complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1) and produce a more accurate logarithm approximation.

b. Referring to claim 38, the modified method of Choi as applied to claim 35 above meets the limitations recited in claim 38, except shifting the square of the ratio left by the number of leading zeros (LZs) and ignoring the most significant bit (MSB) of the resulting number to produce a first number; calculating a six-bit signed integer value from the equation: 6-bit signed integer = $[(\text{number of integer bits} - 1) - \text{LZs}]$; concatenating the six-bit signed integer value to a first number; and defining the five MSBs of the resulting number as the signed integer portion of the LOD. NS discloses shifting the square of a number left by the number of leading zeros and the MSB,

effectively ignoring the MSB (page 1, column 2, paragraph 3); calculating a characteristic (integer) based on the number of characteristic bits minus the number of shifts required, effectively the $[(\text{number of integer bits} - 1) - \text{LZs}]$ (page 1, column 2, paragraph 3); concatenating the integer value to first number (page 1, Figure 3); and defining the resulting number as the integer portion (page 1, column 2, paragraph 3 and Figure 3). At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the disclosure of Choi with the teachings of NS. The suggestion/motivation for doing so would have been to reduce the complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1) and produce a more accurate logarithm approximation.

Response to Arguments

6. Applicant's arguments filed 3/29/04 have been fully considered but they are not persuasive. Applicant argues Choi fails to teach calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ratio between the number of texels for one pixel along a second axis orthogonal to the first axis and selecting the greater of the square of the first ratio and the square of the second ratio Choi clearly discloses calculating the square of a first ratio between the number of texels for one pixel along a first axis and the square of a second ratio between the number of texels for one pixel along a second axis orthogonal to the first axis (column 3, lines 45-50 and column 4, lines 11-15). In particular, note Equation 4 (column 3, lines 46-47) and the subsequent discussion (column 3, line 49 – column 4, line 15). Regarding Applicant's contention that there is no motivation to combine the NS reference with Choi, however as noted above, the combination would have reduced the

Art Unit: 2671

complexity and number of iterations in logarithm calculation (NS, page 1, paragraph 1) and Choi discloses calculating logarithms for the LUT (page 7, column 7, lines 30-36).

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Linzy McCartney** whose telephone number is **(703) 605-0745**. The examiner can normally be reached on Mon-Friday (8:00AM-5:30PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Mark Zimmerman**, can be reached at **(703) 305-9798**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Art Unit: 2671

Washington, D.C. 20231


or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

**Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive,
Arlington, VA, Sixth Floor (Receptionist).**

**Any inquiry of a general nature or relating to the status of this application or
proceeding should be directed to the Technology Center 2600 Customer Service
Office whose telephone number is (703) 306-0377.**

ltm
03 June 2004


MARK ZIMMERMAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600